

OUTDOOR LIGHTING

THE BOOK OF IN-LITE



in-lite®



make your outdoor space unique.

ENHANCES EVERYTHING OUTDOORS

# THE NICEST PLACE IN YOUR HOME IS THE GARDEN

Until night falls and all the joy it brings simply disappears. Outdoor lighting from in-lite lets you discover how your garden can really come to life after dark. Lighting makes your lovely garden a magical place. Your eye is drawn to the elements that are illuminated: an amazing tree, a wonderful lounging area or a colourful border. While everything blends together during the daytime, lighting lets you create personal accents and your own magical place after dark. We think everyone should experience this for themselves.

For around 25 years now in-lite has been developing the perfect light for outdoor spaces. This has resulted in some of the most true-to-life lighting available on the market. The system operates on a low voltage, making it easy and safe for anyone to install. The fixtures are fitted with high-quality LEDs, which translates into low energy consumption and light that is as natural and inviting as possible.

Everything from the tallest tree to the smallest plant can be attractively illuminated with in-lite products. And the in-lite app lets you easily switch your lighting on and off, resulting in maximum convenience and complete control. Both coloured lighting and dimming are possible, and you can create new effects, contrasts and different colour combinations. In no time at all, you can transform your outdoor space into a magical place that can be enjoyed into the small hours, with in-lite enhancing everything outdoors.



# CONTENTS

## CONCEPTS

SWAY	12
ACE	14
EVO	16

## INNOVATION

18

## PRODUCTS

recessed lights	20
outdoor spots	36
line lighting	48
bollards	54
wall lights	66
ceiling lights	80

## PARTNERS

88

## SYSTEM

90

## ACCESSORIES

94

## SMART PRODUCTS

# LIGHT JUST GOT SMARTER

PAGE 94



## INNOVATION

# MODULAR CONNECTION



# MORE THAN A BRAND

in-lite is more than just an outdoor lighting brand. We're a company with a mission. This is done by developing beautiful outdoor lighting fixtures but above all by inspiring as many people as possible and showing that lighting belongs in every outdoor space. But that's not all we do. An extensive network of partners and landscapers have the exact same mission. We train these professionals in the in-lite Playground and inspire them with unique ways to use lighting. Together we make any outdoor space a unique place that you can fully enjoy well into the evening hours.



You can also follow us at @inlite\_global



#### EASY TO INSTALL

Smart low-voltage system  
Safe for humans and animals  
100% waterproof system



#### QUALITY & DESIGN

Best materials and LEDs  
European design  
5-year guarantee



#### THE PERFECT LIGHT

Tasteful CRI 90+ light  
Smart adjustable RGB light  
Sustainable & energy-efficient



#### SMART

in-lite app  
Focus on simplicity  
Trendsetting and innovative



INNOVATION


# SMART LIGHTING

At its core, in-lite's Smart system comprises a **SMART HUB** and the **in-lite app**. The smart transformer enables you to connect up any fixture from in-lite's range and control each line using a **Bluetooth Low Energy** connection. Next add (individually controllable) Smart lights, such as **SMART SCOPE TONE**, **SMART FLUX TONE** and **SMART EVO FLEX TONE**. Thus transforming your garden into a colourful, elegant whole.

Ease of use is key to the in-lite app. Setting routines is straightforward and allows you to decide what time the lights will turn on and off. You can also add the **SMART MOVE** wireless motion detector or an accessory like the **SMART BRIDGE**. This enables you to integrate your Bluetooth system into your WiFi network, giving you control over your lighting anytime, anywhere. The in-lite Smart system can also be integrated into home automation systems such as Google Home, Apple HomeKit and Amazon Alexa.

Smart lighting is the future of our range. The in-lite app is continuously developing, enabling us to permanently offer Smart system users new options and optimisations such as in-lite Scenes and in-lite Energy Insight – a bespoke sustainability plan for your garden.




Keen to find out more about in-lite Smart and be kept informed of all developments? Scan the QR code.



# GARDEN CREATION

## IN STAGES

The unique in-lite system makes it possible to expand your lighting step by step. You start by installing a sufficient number of cables in the garden and over time, you simply add new fixtures as desired. Your dream garden will be a reality in no time!




IN-LITE CONCEPT

# SWAY

## ONE WITH NATURE


The concept encompasses upright fixtures, wall lights, hanging lights in two different colours (Black and Pearl Grey) and a table light. The idea underlying the design is that a fixture can be in harmony with the garden and hence does not always need to stand out. The minimalistic design gives rise to an elegant, friendly appearance that is very contemporary.



p. 84



p. 56



p. 76





IN-LITE CONCEPT

# ACE



## PERFECT SPACE

The concept encompasses upright fixtures and wall lights in four different colours: Dark Grey, White, Rosé Silver and Corten. Anyone can benefit from this concept. The design is minimalistic and a characteristic sleek lighting effect is produced.

p. 59



p. 68



p. 68



p. 68

IN-LITE CONCEPT

# EVO

## PERFECT **EVOLUTION**

The concept encompasses upright fixtures, wall lights, ground spots and line lighting. EVO stands for design and premium quality. The fixtures sport an architectural design which fits in perfectly in gardens with sharp lines and high-quality materials.




p. 63

p. 71



p. 32



Interested in discovering more in-lite concepts such as VOQUE and DISC? See [in-lite.com/en/concepts](http://in-lite.com/en/concepts).



# INNOVATION


## BY IN-LITE

in-lite designs and produces all its products itself. Throughout the design process we examine the options in the garden and what lighting solution is required to provide perfect illumination. Moreover, our fundamental principle is to keep our products as simple as possible. And simple products call for innovative ideas.

## MODULAR DESIGN

Various fixtures and concepts in the in-lite range have a modular structure. This approach ensures that you have maximum freedom and can put together your end product yourself. Combinations of product colour and fixture height are possible.

We take things one step further with AIM, our newest series of designer spots. Here, we have developed a patent-pending method that allows light sources to be literally stacked. Thus enabling you to decide for yourself whether you would like to use AIM with one, two or three light sources. Offering the user maximum flexibility and expandability.



## in-lite | human dimming

in-lite Human Dimming allows you to dim fixtures manually without having to touch them. A number of fixtures are equipped with this technology. These include the SWAY TABLE Big Green Egg, a special edition table light that combines the iconic look of the Big Green Egg with the beauty and technology of in-lite.

## in-lite | motion

in-lite Motion stems from the need to be able to tilt a light source without having to open the fixture. Thus preventing moisture issues and preserving maximum functionality. This applies to BIG NERO. Placing a magnet on the light source enables you to tilt the light source and create your desired illumination yourself.



PRODUCT GROUP

# RECESSED LIGHTS

**PUCK**

Light intensity: low

**FUSION**

Light intensity: low

**HYVE**

Light intensity: medium

**DB LED**

Light intensity: medium

**DOT**

Light intensity: medium

**FLUX**

Light intensity: high

**NERO**


Light intensity: high

**LUNA**

Light intensity: high

**EVO GROUP**

Light intensity: low




**PUCK**

Capacity 1.50 W  
Installation value 2.50 VA  
Colour temperature 2900 K  
CRI 96  
IP 67  
Size ø60 mm  
Colour ■ ■



**PUCK 22**

Capacity 0.60 W  
Installation value 0.60 VA  
Colour temperature 2900 K  
CRI 96  
IP 67  
Size ø22 mm  
Colour ■ ■



### HYVE 22

Capacity 0.20 W  
 Installation value 0.20 VA  
 Colour temperature 3100 K  
 CRI 95  
 IP 67  
 Size ø22 mm



### HYVE 22 RVS

Capacity 0.20 W  
 Installation value 0.20 VA  
 Colour temperature 3000 K  
 CRI 95  
 IP 67  
 Size ø22 mm  
 Colour ■



### HYVE

Capacity 0.80 W  
 Installation value 0.80 VA  
 Colour temperature 3000 K  
 CRI 95  
 IP 67  
 Size ø60 mm  
 Colour ■



### FUSION 22

Capacity 0.20 W  
 Installation value 0.20 VA  
 Colour temperature 2750 K  
 CRI 93  
 IP 67  
 Size ø22 mm



### FUSION 22 RVS


Capacity 0.20 W  
 Installation value 0.20 VA  
 Colour temperature 2750 K  
 CRI 93  
 IP 67  
 Size ø22 mm  
 Colour ■



### FUSION


Capacity 0.90 W  
 Installation value 1.00 VA  
 Colour temperature 2650 K  
 CRI 93  
 IP 67  
 Size ø60 mm  
 Colour ■





### DB LED (WW)

Capacity 0.50 W  
 Installation value 0.50 VA  
 Colour temperature 2850 K  
 CRI 94  
 IP 67  
 Size ø22 mm



### DOT 22

Capacity 0.36 W  
 Installation value 0.50 VA  
 Colour temperature 2850 K  
 CRI 97  
 IP 68  
 Size ø22 mm

### DOT 22 WITH RING

Capacity 0.36 W  
 Installation value 0.50 VA  
 Colour temperature 2850 K  
 CRI 97  
 IP 67  
 Size ø22 mm  
 Colour

### DOT

Capacity 0.40 W  
 Installation value 0.80 VA  
 Colour temperature 2850 K  
 CRI 98  
 IP 68  
 Size ø60 mm  
 Colour





### BIG FLUX

Capacity 3.00 W  
 Installation value 4.20 VA  
 Colour temperature 3100 K  
 CRI 93  
 IP 68  
 Size ø60 mm  
 Colour



### BIG FLUX ASYMMETRIC

Capacity 3.00 W  
 Installation value 4.20 VA  
 Colour temperature 3100 K  
 CRI 93  
 IP 68  
 Size ø60 mm  
 Colour




### BIG FLUX NARROW


Capacity 3.00 W  
 Installation value 4.20 VA  
 Colour temperature 3100 K  
 CRI 93  
 IP 68  
 Size ø60 mm  
 Colour

### FLUX

Capacity 1.50 W  
 Installation value 2.50 VA  
 Colour temperature 3000 K  
 CRI 92  
 IP 67  
 Size ø60 mm  
 Colour



**INSTALLING IN GRASS,  
 SAND OR GRAVEL?**  
 Use the SPIKE accessory.



# SMART FLUX TONE

**SMART FLUX TONE** is the first ground spot in the Tone line, making it a great addition to the Smart collection. This ground spot combines well with the other smart lighting and the settings are easily adjusted using the in-lite app.



CHOOSE RINGS IN  
DIFFERENT COLOURS.



## SMART FLUX TONE

Capacity	6.00 W
Installation value	9.5 VA
Colour temperature	3100 K
IP	67
Size	ø60 mm
Colour	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>





## NERO

Capacity 3.00 W  
 Installation value 4.70 VA  
 Colour temperature 3100 K  
 CRI 91  
 IP 67  
 Size ø116 mm



## BIG NERO

Capacity 7.50 W  
 Installation value 11.90 VA  
 Colour temperature 3100 K  
 CRI 90  
 IP 67  
 Size ø142 mm

in-lite | motion



## BIG NERO NARROW

Capacity 7.50 W  
 Installation value 11.90 VA  
 Colour temperature 3100 K  
 CRI 91  
 IP 67  
 Size ø142 mm

in-lite | motion





CHOOSE RINGS IN DIFFERENT COLOURS.



### LUNA

Capacity 3.00 W  
 Installation value 5.00 VA  
 Colour temperature 3100 K  
 CRI 94  
 IP 67  
 Size ø60 mm  
 Colour




### EVO GROUND 300

Capacity 1.00 W  
 Installation value 1.00 VA  
 Colour temperature 3000 K  
 CRI 95  
 IP 67  
 Length 300 mm  
 Colour



# RECESSED LIGHT



PRODUCT GROUP

# OUTDOOR SPOTS

## AIM

Light intensity: medium

## MICRO SCOPE

Light intensity: low

## MINI SCOPE

Light intensity: medium

## SCOPE

Light intensity: high

## BIG SCOPE

Light intensity: high

## SMART SCOPE TONE

Light intensity: high

## MINI SCOPE DUO

Light intensity: low

## SUB

Light intensity: medium



## AIM

Capacity	1.20 W
Installation value	2.10 VA
Colour temperature	3000 K
CRI	95
IP	67
Height	160 mm   400 mm   800 mm

\*Can be put together with individual light sources.



### MINI SCOPE

Capacity	1.00 W
Installation value	2.00 VA
Colour temperature	2900 K
CRI	93
IP	67
Height	215 mm



**TO PREVENT GLARE FROM THE LIGHT SOURCE.**  
Use the SHIELD 1 accessory for MINI SCOPE, SHIELD 2 for (BIG) SCOPE.



### MICRO SCOPE

Capacity	0.60 W
Installation value	1.10 VA
Colour temperature	2900 K
CRI	91
IP	67
Height	165 mm



Combine various SCOPE fixtures for lighting different heights and shapes. Use SCOPE for medium-sized trees, BIG SCOPE for wide, multi-stemmed trees and BIG SCOPE NARROW for the tallest treetops.



The RISER makes it possible to raise SCOPE fixtures above vegetation, so that the lighting effect is not disrupted. RISER 1 has a fixed height of 35 cm. RISER 2 is height adjustable from 35 cm to 53 cm.

RISER 2

**SCOPE**

Capacity	3.00 W
Installation value	5.20 VA
Colour temperature	3100 K
CRI	91
IP	67
Height	256 mm



**BIG SCOPE**

Capacity	5.20 W
Installation value	8.00 VA
Colour temperature	3100 K
CRI	91
IP	67
Height	267 mm



**BIG SCOPE NARROW**

Capacity	5.00 W
Installation value	7.90 VA
Colour temperature	3100 K
CRI	92
IP	67
Height	267 mm



# SMART SCOPE TONE



## SMART SCOPE TONE

is easy to set using the in-lite app. Apart from choosing different colours, the light intensity can also be adjusted.



### FOR INSTALLING SCOPE AT A HEIGHT.

Use the BRACE accessory in combination with the BRACE BAND.


## SMART SCOPE TONE

Capacity	6.00 W
Installation value	9.50 VA
Colour temperature	3100 K
IP	67
Height	267 mm



**MINI SCOPE DUO**

Capacity 2.00 W  
 Installation value 4.00 VA  
 Colour temperature 2900 K  
 CRI 93  
 IP 67  
 Height 800 mm




SUB is an underwater spot, suitable for lighting ponds or pond elements.



**SUB**

Capacity 3.00 W  
 Installation value 4.70 VA  
 Colour temperature 3000 K  
 CRI 93  
 IP 68  
 Height 150 mm

# OUTDOOR SPOT LIGHT



PRODUCT GROUP

# LINE LIGHTING

## EVO HYDE

Light intensity: low

## EVO FLEX

Light intensity: high

## SMART EVO FLEX

Light intensity: medium

## SMART EVO FLEX TONE

Light intensity: medium


**FIX IS A MOUNTING PLATE FOR THE EVO HYDE.**

Suitable for different uses.





## EVO HYDE 180

Capacity	0.50 W
Installation value	0.60 VA
Colour temperature	2950 K
CRI	95
IP	53
Length	180 mm



## EVO HYDE 550

Capacity	2.00 W
Installation value	2.10 VA
Colour temperature	2950 K
CRI	93
IP	55
Length	550 mm



**EVO FLEX  
SMART EVO FLEX**

Capacity 6.50 | 11.00 | 14.50 W  
 Installation value 9.90 | 15.70 | 20.20 VA  
 Colour temperature 3000 K  
 CRI 86  
 IP 68  
 Available in 1, 2 and 3-metre variants



**EVO FLEX ACCESSORIES**  
**PROFILE 1**  
**PROFILE 2**  
**PROFILE 3**  
**PROFILE 4**  
**CLIPS**  
**CORNERS**  
**SPIKES**

CORNER is for 90-degree curves. CLIPS, SPIKE and PROFILE 4 are for organic shapes. PROFILE 1 and 2 are for straight installation out of view. PROFILE 3 is for visible straight installation.

# SMART EVO FLEX TONE

## SMART EVO FLEX TONE

This fixture produces perfectly even line lighting without any visible light points. Fitted with dimmable colours Available in 1, 2 and 5-metre variants.



## SMART EVO FLEX TONE

Capacity 2.50 | 4.50 | 10.00 W  
Installation value 4.50 | 7.50 | 14.50 VA  
Colour temperature 3100 K  
CRI 95  
IP 68  
Available in 1, 2 and 5-metre variants



PRODUCT GROUP

# BOLLARDS

## SWAY TABLE

Light intensity: high

## SWAY

Light intensity: medium

## ACE

Light intensity: low

## LIV

Light intensity: medium

## DISC

Light intensity: medium

## EVO

Light intensity: medium

## VOQUE

Light intensity: medium



### SWAY TABLE BIG GREEN EGG EDITION

The special edition of the SWAY TABLE table light, see page 19.



### SWAY TABLE

Capacity	1.80 W
Installation value	1.80 VA
Colour temperature	2900 K
CRI	96
IP	55
Height	345 mm

in-lite | human dimming

## MINI SWAY SWAY

Capacity	0.50 W   1.00 W
Installation value	0.60 V   1.00 V
Colour temperature	2900 K
CRI	95
IP	55
Colour	■ ■
Height	35 cm   60 cm   100 cm



SWAY CAP

Personalise the SWAY fixtures with in-lite accessories specially developed to enable you to play with light. Any illumination you like can be created with these accessories.



**ACE  
ACE HIGH**

Capacity	3.00 W
Installation value	5.30 VA
Colour temperature	3000 K
CRI	94
IP	55
Colour	
Height	205 mm   490 mm



WINK is a lens cap that can easily be placed on the ACE light source to stop people from looking straight into the light source and to adjust the illumination.




**LIV LOW  
LIV**

Capacity	1.50 W
Installation value	2.50 VA
Colour temperature	2900 K
CRI	95
IP	55
Colour	<span style="display: inline-block; width: 10px; height: 10px; background-color: #d3d3d3; border: 1px solid #000;"></span> <span style="display: inline-block; width: 10px; height: 10px; background-color: #808080; border: 1px solid #000;"></span> <span style="display: inline-block; width: 10px; height: 10px; background-color: #404040; border: 1px solid #000;"></span> <span style="display: inline-block; width: 10px; height: 10px; background-color: #202020; border: 1px solid #000;"></span>
Height	372 mm   612 mm



**DISC LOW  
DISC**

Capacity	3.00 W
Installation value	4.90 VA
Colour temperature	2900 K
CRI	98
IP	55
Colour	<span style="display: inline-block; width: 10px; height: 10px; background-color: #000000; border: 1px solid #000;"></span>
Height	350 mm   600 mm



**DISC**

With a light output on all sides, the DISC and DISC LOW are the perfect fixtures for attractively illuminating colourful borders. Also available as wall lights and hanging lights. This utterly complete concept is the ultimate design solution for adding the perfect finishing touch to any outdoor space.



## EVO EVO LOW

Capacity	2.00 W
Installation value	2.10 VA
Colour temperature	2950 K
CRI	95
IP	55
Colour	■
Height	366 mm   606 mm





**VOQUE**  
**BIG VOQUE**  
**VOQUE** 100-230V  
**BIG VOQUE** 100-230V

Capacity 3.00 W | 5.00 W  
 Installation value 5.20 VA | 8.00 VA  
 Colour temperature 2750 K  
 CRI 89  
 IP 55  
 Size ø300 | ø450 mm



With the BELT, you can easily turn a VOQUE into a hanging light.  
 The TRIPOD lets you raise the VOQUE on your patio.  
 Available in two heights.

PRODUCT GROUP  
**WALL LIGHTS**

**DISC**

Light intensity: low

**ACE**

Light intensity: high

**CUBID**

Light intensity: low

**EVO**

Light intensity: high

**HALO**

Light intensity: high

**WEDGE**

Light intensity: medium

**SWAY**

Light intensity: low


**BLINK**

Light intensity: medium



**DISC WALL**

Capacity 3.00 W  
 Installation value 4.90 VA  
 Colour temperature 2900 K  
 CRI 98  
 IP 55  
 Colour   
 Size ø200 mm



**DISC WALL 100-230V**

Capacity 4.50 W  
 Installation value 4.70 VA  
 Colour temperature 2900 K  
 CRI 98  
 IP 55  
 Colour   
 Size ø200 mm

\*This fixture is dimmable


### ACE DOWN

Capacity	3.00 W
Installation value	5.30 VA
Colour temperature	3000 K
CRI	91
IP	55
Colour	
Height	100 mm



### ACE DOWN 100-230V

Capacity	4.50 W
Installation value	11.80 VA
Colour temperature	3000 K
CRI	95
IP	55
Colour	
Height	100 mm





### ACE UP-DOWN

Capacity	6.50 W
Installation value	10.30 VA
Colour temperature	3000 K
CRI	92
IP	55
Colour	
Height	120 mm




### ACE UP-DOWN 100-230V

Capacity	8.50 W
Installation value	20.00 VA
Colour temperature	3000 K
CRI	92
IP	55
Colour	
Height	100 mm



Want to install a wall light on a sloping surface? Use the FIT to install your wall light vertically. A single solution for multiple wall fixtures.




### EVO DOWN

Capacity 2.00 W  
 Installation value 2.10 VA  
 Colour temperature 2950 K  
 CRI 95  
 IP 53  
 Colour   
 Width 520 mm

### EVO DOWN 100-230v

Capacity 4.50 W  
 Installation value 11.50 VA  
 Colour temperature 3000 K  
 CRI 92  
 IP 55  
 Colour   
 Height 300 mm




### CUBID

Capacity 0.60 W  
 Installation value 0.60 VA  
 Colour temperature 2800 K  
 CRI 93  
 IP 55  
 Colour     
 Height 50 mm

### BIG CUBID

Capacity 1.00 W  
 Installation value 2.00 VA  
 Colour temperature 2900 K  
 CRI 93  
 IP 55  
 Colour     
 Height 72 mm





The SHUTTER lets you adjust the light angle of the wall fixtures to any desired width.

### HALO DOWN

Capacity 3.00 W  
 Installation value 5.00 VA  
 Colour temperature 3000 K  
 CRI 92  
 IP 55  
 Colour ■  
 Height 100 mm



### HALO UP-DOWN

Capacity 6.50 W  
 Installation value 10.00 VA  
 Colour temperature 3000 K  
 CRI 92  
 IP 55  
 Colour ■  
 Height 120 mm



### HALO DOWN 100-230V

Capacity 4.50 W  
 Installation value 11.50 VA  
 Colour temperature 3000 K  
 CRI 92  
 IP 55  
 Colour ■  
 Height 100 mm

\*This fixture is dimmable



### HALO UP-DOWN 100-230V

Capacity 8.50 W  
 Installation value 20.00 VA  
 Colour temperature 3000 K  
 CRI 93  
 IP 55  
 Colour ■  
 Height 100 mm


\*This fixture is dimmable





### WEDGE SLIM

Capacity	1.00 W
Installation value	1.00 VA
Colour temperature	2800 K
CRI	96
IP	55
Colour	■
Width	200 mm



### MINI WEDGE

Capacity	0.60 W
Installation value	0.60 VA
Colour temperature	2900 K
CRI	95
IP	55
Colour	■
Width	60 mm

### WEDGE

Capacity	1.00 W
Installation value	1.60 VA
Colour temperature	2800 K
CRI	94
IP	55
Colour	■ ■ ■
Width	100 mm





### MINI SWAY WALL

Capacity 0.50 W  
 Installation value 0.60 VA  
 Colour temperature 2900 K  
 CRI 96  
 IP 55  
 Colour    
 Size ø50 mm




### SWAY WALL

Capacity 1.00 W  
 Installation value 1.00 VA  
 Colour temperature 2900 K  
 CRI 95  
 IP 55  
 Colour    
 Size ø85 mm




### BLINK

Capacity 1.00 W  
 Installation value 1.70 VA  
 Colour temperature 2800 K  
 CRI 95  
 IP 55  
 Colour    
 Size ø100 mm



# WALL LIGHTS

## LIGHT



PRODUCT GROUP

# CEILING LIGHTS

## AIM CEILING

—●— Light intensity: medium

## SCOPE CEILING

—●— Light intensity: high

## SWAY PENDANT

—●— Light intensity: medium

## DISC PENDANT

—●— Light intensity: medium



## AIM CEILING

Capacity	1.20 W
Installation value	2.10 VA
Colour temperature	2900 K
CRI	90
Height	85 mm



### MINI SCOPE CEILING

Capacity	1.00 W
Installation value	2.00 VA
Colour temperature	2900 K
CRI	93
IP	67
Size	ø47 mm



### SCOPE CEILING

Capacity	3.00 W
Installation value	4.80 VA
Colour temperature	3100 K
CRI	91
IP	67
Size	ø66 mm




### SWAY PENDANT

Capacity 0.90 W  
 Installation value 1.00 VA  
 Colour temperature 2900 K  
 CRI 96  
 IP 55  
 Colour    
 Size ø85 mm

### SWAY PENDANT 100-230V

Capacity 2.50 W  
 Installation value 7.10 VA  
 Colour temperature 2900 K  
 CRI 96  
 IP 55  
 Colour    
 Size ø85 mm

**in-lite** | human dimming



Personalise the SWAY fixtures with in-lite accessories specially developed to enable you to play with light. Any illumination you like can be created with these accessories.

SWAY PENDANT CAP



### DISC PENDANT

Capacity 3.00 W  
 Installation value 4.90 VA  
 Colour temperature 2900 K  
 CRI 98  
 IP 55  
 Colour   
 Size ø200 mm

### DISC PENDANT 100-230V

Capacity 4.50 W  
 Installation value 11.80 VA  
 Colour temperature 2900 K  
 CRI 98  
 IP 55  
 Colour   
 Size ø200 mm

**in-lite** | human dimming

# ALWAYS A PERFECT SOLUTION

## ONE GARDEN, THREE STYLES

Every outdoor space deserves the perfect lighting for your style and budget. But how do you make the right choices? We show you here how you can completely change the ambiance in a single garden with three lighting styles in different price ranges. From a smart basic solution to a luxurious design, the garden stays the same, but the fixtures create a unique look & feel. Discover how lighting can bring your outdoor space to life – no matter the budget. Get inspired and choose the style that is the perfect fit for your garden and personal preferences!



2x CUBID, 3x BIG CUBID, 3x LIV, 1x SCOPE, 2x MINI SCOPE



3x ACE DOWN, 2x ACE UP-DOWN, 3x ACE HIGH, 1x SCOPE, 2x MINI SCOPE

*\*prices based on the fixtures without a system or cable*



2x WEDGE SLIM, 3x WEDGE, 1x SCOPE, 3x MICRO SCOPE

# IN-LITE X PARTNERS

**Cooperation is top priority at in-lite. Combining strengths and creating unique gardens together. Doing what it takes to make outdoor living more appealing and more enjoyable. Creating a place where you can enjoy your outdoor space in a different way each season.**


Renowned landscape designer Erwin Stam Tuinstudio and Studio Unhyde have joined forces with in-lite and Torc Pots to create The Playful Line, a series of pots with elegant shapes and stylish colours that seamlessly combine design, nature and lighting. Playful lets you forget the chaos around you and imagine yourself at the edge of a pool in the heart of Mérida. Playful transforms your rooftop terrace, sun lounge or pool area.

Adezz's planters are in-lite-ready. CARREZ and CIRCUM are the first products resulting from this unique collaboration. The planters come with a profile into which in-lite's SMART EVO FLEX LED strip can easily be embedded, creating a single elegant unit that adds a unique dimension to your garden.

Last year saw in-lite and Big Green Egg team up to release a fixture together. With considerable success – to say the least! Our well-known SWAY TABLE has been given a makeover. Are you a diehard Big Green Egg fan? Hurry and add this product to your collection!



Big Green Egg



Adezz



Torc Pots

TORC:POTS

ADEZZ  
DESIGN TO GROW



# SYSTEM



## HUB-50

A high-quality transformer with touch screen operation and maximum installation value of 50 VA, equipped with two lines that can be controlled jointly.

## HUB-100

A high-quality transformer with touch screen operation and maximum installation value of 100 VA, equipped with two lines that can be controlled jointly.

## SMART HUB-150

SMART HUB-150 has an installation value of 150 VA and comes with three lines that can be controlled individually using the in-lite app.

## SMART HUB-300

SMART HUB-300 has an installation value of 300 VA and comes with three lines that can be controlled individually using the in-lite app.

	50VA	100VA	150VA	300VA
Maximum connection value	50VA	100VA	150VA	300VA
Can be controlled using	Touch screen	Touch screen	App	App
Cable outlets	2	2	3	3
Lines can be controlled separately	✗	✗	✓	✓
Switch on/off	Touch screen	Touch screen	Button & App	Button & App
Connect smart lighting	✗	✗	✓	✓
Works with SMART BRIDGE	✗	✗	✓	✓
Maximum cable length with use of 14/2	40 m	40 m	40 m	✗
Maximum cable length with use of 10/2	80 m	80 m	80 m	160 m*

\*With maximum capacity of 130 VA on a port

\*\*If components are used in the system that are not from in-lite, the guarantee no longer applies.

## HUBS <sup>1</sup>

HUB is a transformer that controls the garden lighting. A choice of four different hubs is available: HUB-50, HUB-100 and SMART HUB-150 and SMART HUB-300. Add up the VA value of your lighting to find out which transformer will suit your garden.

## CABLES <sup>2</sup>

The cable can be rolled out from the transformer and guided along the fixtures. There are two types of cables available: 14/2 and 10/2.

## CABLE SPLITTING <sup>3</sup>

Want to split or branch a cable? Use a cable connector (CC-2) to split the cable plan in no time.

## EASY-LOCK <sup>4</sup>

Every fixture comes with an EASY-LOCK. This is used to connect the fixture at any point along the main cable.



## INSTALLATION INSTRUCTIONS


Install HUB at least 50 cm from the ground – away from precipitation – such as indoors, in a shed or under a canopy. If you decide to place your HUB outdoors, always use a PROTECTOR. If a PROTECTOR is not used, the guarantee will no longer apply.

## ACCESSORIES <sup>5</sup>

Is an in-lite fixture's cable too short? Simply use the extension cords. Another useful accessory is the splitter, which lets you connect two fixtures to one extension cord.

## CABLE ENDS <sup>6</sup>


The cable can end anywhere in the garden and does not need to form a closed system. Seal off the end of the cable with the cover caps provided to ensure that no moisture can get in and that the cable ends do not come into contact with one another. This prevents short-circuiting.



# ACCESSORIES

## FOR THE SYSTEM

Got a great lighting plan for your garden but worried you won't be able to buy everything at once? It's easy to expand your plan step by step. You start by installing enough cabling in the garden and over time, simply add new fixtures. Your dream garden will be a reality before you know it!



### SMART BRIDGE

SMART BRIDGE is an in-lite SMART system accessory that creates a bridge to the internet. An internet connection makes it possible to integrate the in-lite SMART system into 'Smart Home' systems such as Google Home, Apple HomeKit and Amazon Alexa. Speech commands can also be used to switch the lighting on and off. Simply connect the system to your Smart Home system.



### SMART EXTENDER

This Smart product has been developed to improve the Bluetooth signal in and around your home. In some homes, external factors like thickly insulated walls and steel structures make Bluetooth connections suboptimal. The quality of different Bluetooth receivers in smartphones currently in use also varies considerably. The SMART EXTENDER improves your connection in such situations.

### HUB PROTECTORS

The SMART HUB PROTECTOR was developed to better protect the sophisticated technology in the SMART HUB-150 transformer. This accessory extends the lifespan of the product if it is not possible to install the SMART HUB-150 in a covered location. If you choose to install the transformer outside without a PROTECTOR, the guarantee will no longer apply.



### MOTION DETECTORS

Like the SMART HUB, the wireless SMART MOVE can be controlled using a Bluetooth connection and the in-lite app. The amount of time that the lighting stays on after motion is detected can be adjusted by the minute from 1 to 60 minutes using the in-lite app.

### TOUCH DIMMER

Want to effortlessly adjust the intensity of your wall lights and hanging lights? Discover the TOUCH DIMMER! This handy accessory lets you dim any outdoor light separately, with four different light settings to choose from. And best of all, you do not need a SMART system for the TOUCH DIMMER, for the ultimate in convenience.



# WELCOME IN THE IN-LITE PLAYGROUND

Be inspired by what in-lite can do to make your  
outdoor space unique. Enjoy the magic.



## CUSTOMER SERVICE **EXCEPTIONAL**

Please feel free to ask our experienced customer service staff any questions you may have about in-lite products, installation and guarantees. They would be happy to assist you, so that you can enjoy a beautifully illuminated outdoor space each and every day of the year. Looking for more inspiration?

Check out our social media channels and website.

Phone number:	+31 (0)184 688 760
E-mail address:	customerservice@in-lite.nl
Chat function:	www.in-lite.com
Social media:	Instagram: @inlite_global
	Facebook: @inlitenl
	Pinterest: @inliteglobalHQ



### **Own a unique outdoor space and looking for advice?**

The in-lite LAB wants to show the world how in-lite offers the best lighting solution for any outdoor space. From the largest private gardens to hotel and restaurant patios and semi-public outdoor spaces, our goal is to create lighting that is as unique and creative as possible. We guide you through the entire process, from lighting plan to installation and maintenance, to show what real magic looks like.

### **EXPERIENCE IN-LITE AT OUR DEALERSHIPS**

Got your bearings and are ready to see and experience the products for yourself? Visit one of our outlets. Scan the QR code to find a dealership near you.



# INDEX

<b>A</b>			
ACE	59	HUB-50	91
ACE DOWN	68	HUB-100	91
ACE DOWN 100-230V	68	HYVE	23
ACE HIGH	59	HYVE 22	23
ACE UP-DOWN	68	HYVE 22 RVS	23
ACE UP-DOWN 100-230V	68		
AIM	37	<b>L</b>	
AIM CEILING	81	LIV	61
		LIV LOW	61
		LUNA	32
<b>B</b>		<b>M</b>	
BIG CUBID	70	MICRO SCOPE	38
BIG FLUX	27	MINI SCOPE	39
BIG FLUX NARROW	27	MINI SCOPE CEILING	83
BIG FLUX ASYMMETRIC	27	MINI SCOPE DUO	44
BIG NERO	31	MINI SWAY	56
BIG NERO NARROW	31	MINI SWAY WALL	76
BIG SCOPE	41	MINI WEDGE	75
BIG SCOPE NARROW	41		
BIG VOQUE	64	<b>N</b>	
BLINK	77	NERO	30
		<b>P</b>	
<b>C</b>		PUCK	21
CUBID	70	PUCK 22	21
		<b>R</b>	
<b>D</b>		RISER	41
DB-LED (WW)	24	<b>S</b>	
DISC	60	SCOPE	41
DISC LOW	60	SCOPE CEILING	83
DISC PENDANT	85	SMART EVO FLEX TONE	52
DISC PENDANT 100-230V	85	SMART HUB-150	91
DISC WALL	67	SMART HUB-300	91
DISC WALL 100-230V	67	SMART FLUX TONE	28
DOT	25	SMART SCOPE TONE	42
		SPIKE	26
<b>E</b>		SUB	45
EVO	63	SWAY	56
EVO DOWN	71	SWAY PENDANT	84
EVO DOWN 100-230V	71	SWAY PENDANT 100-230V	84
EVO FLEX	50	SWAY TABLE	55
EVO GROUND 300	33	SWAY WALL	76
EVO HYDE 180	49		
EVO HYDE 550	49	<b>T</b>	
EVO LOW	63	TOUCH DIMMER	95
		<b>V</b>	
<b>F</b>		VOQUE	64
FLUX	26	VOQUE 100-230V	64
FUSION	22	<b>W</b>	
FUSION 22	22	WEDGE	75
FUSION 22 RVS	22	WEDGE SLIM	74
<b>H</b>			
HALO DOWN	73		
HALO DOWN 100-230V	73		
HALO UP-DOWN	73		
HALO UP-DOWN 100-230V	73		

**This brochure is distributed free of charge through in-lite's dealership network. An up-to-date overview of our sales outlet locations can be found at in-lite.nl.**

No rights may be derived from the information provided in this publication. All specifications are subject to typesetting and printing errors. Colours may vary.

**Photography**  
Dion Doornik  
Roel van der Aa

**Design**  
Brand Creatives

**Image editing**  
MarkMyWork

