


# THE BOOK OF IN-LITE



**in-lite**<sup>®</sup>  
OUTDOOR LIGHTING

**CREATING MAGICAL OUTDOOR  
SPACES SINCE 1999**

# MAKE YOUR OUTDOOR SPACE SPECIAL

Your garden is the most beautiful part of your home — until night falls and its charm fades into darkness. But when in-lite lighting turns on, the magic begins. Your eyes are drawn to the highlights you've illuminated: a stunning tree, a cozy lounge spot, or a vibrant flower bed. This is the in-lite moment — a magical transformation we want everyone to experience. While daylight reveals everything equally, in-lite lighting lets you create personal accents and turn your garden into a unique, enchanting space at night.

For over 25 years, we've been crafting the perfect outdoor lighting. Our low-voltage system is easy and safe to install, featuring energy-efficient, high-quality LEDs that cast natural, atmospheric light. From towering trees to delicate plants, the in-lite range has you covered. With the in-lite app, you're in full control: dim, adjust colours, set scenes, and more. In just moments, your garden becomes a magical retreat where the ambiance lasts well into the night.


in-lite makes outdoor spaces special.



 Follow us on @inlite\_global

# CONTENTS

<b>THE SYSTEM</b>	8
<b>SMART LIGHTING</b>	10



<b>PRODUCTS</b>	
Recessed lights	14
Spotlights	26
Line lighting	34
Bollards	40
Wall lights	50
Ceiling lights	60

<b>HUBS</b>	66
<b>ACCESSORIES</b>	70
<b>GARDEN CREATION</b>	72
<b>CONCEPTS</b>	74
<b>INNOVATION</b>	78
<b>PARTNERS</b>	80




NEW  
**BREEZE**  
P.41 / P.78

in-lite | breathe

# MORE THAN A BRAND

in-lite is more than just an outdoor lighting brand. We are a company with a mission: to show and let as many people as possible experience that lighting belongs in every outdoor space. We fulfil this mission by developing beautiful outdoor lighting fixtures and, above all, by inspiring people to see what lighting can add to their outdoor environment. And we don't do this alone. A strong network of partners and outdoor professionals shares our mission. We train these professionals and inspire them with unique ways to use lighting. Together, we create outdoor spaces that become truly special places you can fully enjoy well into the evening.



**EASY TO  
INSTALL**



**PERFECT  
LIGHT**



**QUALITY  
& DESIGN**



**SMART**

# THE IN-LITE SYSTEM

## HUB 1

The transformer is the heart of the in-lite system. Choose from HUB-75, SMART HUB-75, SMART HUB-150 or SMART HUB-300. Add up the VA value of your lighting to determine which HUB is suitable.

## CABLES 2

The cable can be rolled out from the transformer and routed along the fixtures. There are two types of cables available: 14/2 and 10/2.

## EASY-LOCK 3

Use the EASY-LOCK to safely connect your in-lite fixtures at any point along the main cable line.

## SMART BRIDGE 4

SMART BRIDGE allows you to connect the in-lite Smart system to the internet and to other smart home systems such as Google Home, Alexa, and more.

## CABLE SPLITTING 5


Use the CC-2 cable connector to create a new branch from the main cable line and extend the reach of your system.

## ACCESSORIES 6

Is the main cable too short? Use an extension cord. Want to connect up multiple fixtures to an extension cord? Use SPLITTER.


## CABLE ENDS 7

The cable can end at any point without forming a closed system. Finish off the ends with the included CABLE CAPS to avoid short-outs.



# SMART LIGHTING

The basis of the Smart system consists of a SMART HUB and the in-lite app. You can connect any fixture to this Smart transformer and easily set your preferences via a smartphone or tablet.



## COLOUR LIGHTING

The Smart Tone fixtures add extra atmosphere to your terrace or lounge area with vibrant colours. You can easily control these Smart lights individually via the in-lite app.


P.20 **SMART FLUX TONE**

P.31 **SMART SCOPE TONE**

P.38 **SMART EVO FLEX TONE**



in-lite | smart



## TURN MOMENTS INTO SCENES

With the in-lite app, your outdoor lighting effortlessly becomes part of your daily life. Change the colours and create scenes easily with the touch of your finger, control zones separately, set routines, and share your settings with others.



**DISCOVER  
SMART LIGHTING**  
[www.in-lite.com](http://www.in-lite.com)

# CONNECT YOUR HOME

Let your outdoor lighting become part of your smart home. With SMART HUB, the in-lite app, and SMART BRIDGE accessory, you can easily integrate your lighting with any smart home system and simplify how you control it.



## SMART HOME CONNECTION

Choosing SMART HUB unlocks endless possibilities for smarter, more personalised lighting control, especially with accessories like SMART BRIDGE. This device connects your Bluetooth-based system to your Wi-Fi network, seamlessly integrating your outdoor lighting with your smart home system.

Whether you're at home or away, the in-lite app gives you full control. With SMART BRIDGE, your outdoor lighting becomes an intuitive, connected, and vibrant extension of your home – perfectly tailored to your needs.

## ADVANTAGES SMART BRIDGE

AUTOMATIC UPDATES

COMPATIBLE WITH SMART HOME SYSTEMS

REMOTE CONTROL

## SMART HOME SYSTEMS

Smart technology has never made life easier. The in-lite app, available for iOS and Android, integrates seamlessly with popular smart home systems like Google Home, Apple HomeKit, Amazon Alexa, Gira KNX and Matter-compatible brands—all thanks to SMART BRIDGE. This accessory lets you control your outdoor lighting effortlessly through a smart home app or even voice commands. Just say, "Hey Google, turn on in-lite!" and watch the magic happen.



“HEY GOOGLE,  
TURN ON IN-LITE”



PRODUCT GROUP

# RECESSED LIGHTS

Recessed lights are perfect for adding an atmospheric glow to paths, decks, driveways, facades or borders. Whether you envision a subtle, starry pathway or need powerful lighting to highlight tall trees and striking facades, in-lite offers a wide range of recessed lights to suit every need and application.



**DISCOVER ALL RECESSED LIGHTS**  
www.in-lite.com



## PUCK

1,50 W | 2,50 VA | 2900 K  
CRI 96 | IP 67 | ø60 mm



## PUCK 22

0,60 W | 0,60 VA | 2900 K  
CRI 96 | IP 67 | ø22 mm






**NEW**

**MODULAR RINGS**

Personalise your recessed lights with stylish rings.  
More info on p.25.

**NEW**



**HYVE 22**

0,20 W | 0,20 VA | 3100 K  
CRI 95 | IP 67 | ø22 mm

**HYVE 22 (ADD RING)**

0,20 W | 0,20 VA | 3000 K  
CRI 95 | IP 67 | ø22 mm



**HYVE**

0,80 W | 0,80 VA | 3000 K  
CRI 95 | IP 67 | ø60 mm



**NEW**

**FUSION 22**

0,20 W | 0,20 VA | 2750 K  
CRI 93 | IP 67 | ø22 mm


**FUSION 22 (ADD RING)**

0,20 W | 0,20 VA | 2750 K  
CRI 93 | IP 67 | ø22 mm



**FUSION**


0,90 W | 1,00 VA | 2650 K  
CRI 93 | IP 67 | ø60 mm



**SPIKE 22 & 60**

for installing recessed lights  
in soil, gravel or grass.

NEW



**DOT 22**

0,36 W | 0,50 VA | 2850 K  
CRI 98 | IP 67 | ø22 mm


**DOT 22 (ADD RING)**

0,36 W | 0,50 VA | 2850 K  
CRI 98 | IP 67 | ø22 mm



**DOT**


0,40 W | 0,80 VA | 2850 K  
CRI 98 | IP 67 | ø60 mm



**RING 28 SHIELD**

eliminates glare  
from 22 mm  
recessed lights.

NEW



**FLUX 22**

1,20 W | 2,00 VA | 3000 K  
CRI 90 | IP 67 | ø22 mm

**FLUX 22 (ADD RING)**

1,20 W | 2,00 VA | 3000 K  
CRI 90 | IP 67 | ø22 mm



**FLUX**

1,50 W | 2,50 VA | 3000 K  
CRI 92 | IP 67 | ø60mm





### SMART FLUX TONE

6,00 W | 9,50 VA | CRI 85+ | RGBW | 3100K  
IP 67 | ø60 mm | in-lite Smart



in-lite | smart



### BIG FLUX

3,00 W | 4,20 VA | 3100 K  
CRI 93 | IP 67 | ø60 mm



### BIG FLUX ASYMMETRIC

3,00 W | 4,20 VA | 3100 K  
CRI 93 | IP 67 | ø60 mm



### BIG FLUX NARROW

3,00 W | 4,20 VA | 3100 K  
CRI 93 | IP 67 | ø60 mm





**BIG NERO**

7,50 W | 11,90 VA | 3100 K | CRI 92  
IP 67 | ø125 mm | in-lite Motion

**BIG NERO NARROW**

7,50 W | 11,90 VA | 3100 K | CRI 91  
IP 67 | ø125 mm | in-lite Motion



**NERO**

3,00 W | 4,70 VA | 3100 K | CRI 93 | IP 67 | ø95 mm



**IN-LITE MOTION**  
adjusts the light source  
with a magnet without  
opening the fixture.

# MORE RECESSED LIGHTS

Discover more recessed lights and matching accessories. Personalise your recessed lights with different ring colours and styles to achieve the perfect design and atmosphere for your outdoor space.



## DB-LED

0,50 W | 0,50 VA | 2850 K  
CRI 94 | IP 67 | ø22 mm




## EVO GROUND 300

1,00 W | 1,00 VA | 3000 K  
CRI 95 | IP 67 | 300 mm



## LUNA

3,00 W | 5,00 VA | 3100 K  
CRI 94 | IP 67 | ø60 mm



## EVO FLOOD

5,00 W | 8,00 VA | 3000 K  
CRI 97 | IP 67 | 426 mm



## MODULAR RINGS

Personalise your recessed lights with stylish and modular rings. Available in three colours: Black, Pearl Grey, and Stainless Steel.





PRODUCT GROUP  
**SPOTLIGHTS**

Outdoor spotlights bring your garden to life after dark, illuminating everything from the smallest plants to the tallest trees. They add depth, ambiance, and a captivating experience to your outdoor space. With a variety of sizes and beam angles, there is always a spotlight perfectly suited to your garden's unique needs.



**DISCOVER ALL SPOTLIGHTS**  
[www.in-lite.com](http://www.in-lite.com)




**AIM | AIM LOW | AIM EXTRA LOW**

1,20 W | 2,10 VA | 3000 K | CRI 90 | IP 67 | 160 mm, 400 mm, 800 mm

\*to be assembled with separate light sources





**MICRO SCOPE**

0,60 W | 1,10 VA | 2900 K  
CRI 91 | IP 67 | 165 mm




**MINI SCOPE**

1,00 W | 2,00 VA | 2900 K  
CRI 93 | IP 67 | 215 mm



**SHIELD 1 & 2**  
to eliminate glare  
from the light source  
of (MINI) SCOPE.



**RISER 1 & 2**  
to adjust and  
elevate SCOPE  
spotlights above  
the planting.




**SCOPE**

3,00 W | 5,20 VA | 3100 K | CRI 91 | IP 67 | 256 mm




**SMART SCOPE TONE**

6,00 W | 9,50 VA | CRI 85+ | RGBW | 3100 K | IP 67 | 267 mm | in-lite Smart



**BRACE & BRACE BAND**  
for mounting SCOPE on a  
tree or post at any height.



**MINI SCOPE DUO**

2,00 W | 4,00 VA | 2900 K  
CRI 93 | IP 67 | 800 mm



**BIG SCOPE**

5,00 W | 8,00 VA | 3100 K  
CRI 91 | IP 67 | 267 mm

**BIG SCOPE NARROW**

5,00 W | 7,90 VA | 3100 K  
CRI 92 | IP 67 | 267 mm



**SUB**

3,00 W | 4,70 VA | 3000 K  
CRI 91 | IP 68 | 150 mm



BRIGHTNESS  
**EVO HYDE**  
 —|—  
**EVO FLEX**  
 —|—  
**SMART  
 EVO FLEX**  
 —|—  
**SMART EVO  
 FLEX TONE**  
 —|—

PRODUCT GROUP  
**LINE LIGHTING**

From flexible light strips to fixtures for steps, walls, borders and benches; with linear lighting, you create atmosphere and safety in every corner of your outdoor space.


**DISCOVER LINE LIGHTING**  
[www.in-lite.com](http://www.in-lite.com)




**EVO HYDE 180**

0,50 W | 0,60 VA | 2950 K  
 CRI 95 | IP 55 | 180 mm

**EVO HYDE 550**

2,00 W | 2,10 VA | 2950 K  
 CRI 93 | IP 55 | 556 mm



## EVO FLEX

Available in 1, 2 and 3 metres  
 6,50 W | 11,00 W | 14,50 W  
 9,90 VA | 15,70 VA | 20,20 VA  
 3000 K | CRI 86 | IP 67



**DRIVER**  
 is essential for  
 operating EVO FLEX.




**SMART DRIVER**  
 is essential to  
 operate SMART EVO  
 FLEX and enables  
 dimming.

in-lite | smart



## SMART EVO FLEX

Available in 1, 2 and 3 metres  
 6,50 W | 11,00 W | 14,50 W  
 9,90 VA | 15,70 VA | 20,20 VA  
 3000 K | CRI 86 | IP 67 | in-lite Smart



Dim the light intensity  
 via the in-lite app.




## SMART EVO FLEX TONE

Available in 1, 2 and 5 metres

2,50 W | 4,50 W | 10,00 W

4,50 VA | 7,50 VA | 14,50 VA


CRI 85+ | RGBW | IP 67 | in-lite Smart



### SMART DRIVER TONE

is essential to operate SMART EVO FLEX TONE and enables colour-changing capabilities.

in-lite | smart



## EVO FLEX ACCESSORIES

### PROFILE 1 & 2

For straight under-cabinet mounting.

### PROFILE 3

For straight mounting at eye level.

### PROFILE 4

### CLIPS

### SPIKES

For curved shapes.

### CORNERS

For 90° bends.

### FIX

For retaining walls, benches, or steps.




## PRODUCT GROUP **BOLLARDS**

Bollards illuminate paths, terraces, borders and driveways, while enhancing both safety and atmosphere. Thanks to variations in height, design, and light beam, there is always a fixture to suit your garden.



**DISCOVER  
BOLLARDS**  
[www.in-lite.com](http://www.in-lite.com)




### **BREEZE LOW**

0,95 W | 1,70 VA | 2750 K | CRI 95  
IP 55 | 600 mm | in-lite Breathe

### **BREEZE**

0,95 W | 1,70 VA | 2750 K | CRI 95  
IP 55 | 1000 mm | in-lite Breathe



**(MINI) SWAY CAP**  
prevents direct glare  
from the (MINI) SWAY  
light source.



**NAIL LOW**

1,50 W | 1,50 VA | 2900 K  
CRI 96 | IP 65 | 455 mm



**NAIL**

1,40 W | 1,50 VA | 2900 K  
CRI 96 | IP 65 | 610 mm



**MINI SWAY**

0,50 W | 0,60 VA | 2900 K | CRI 95  
IP 55 | 350 mm, 600 mm, 1000 mm



**SWAY**

1,00 W | 1,00 VA | 2900 K | CRI 95  
IP 55 | 350 mm, 600 mm, 1000 mm



UPGRADED



### SWAY TABLE

0,60 W | 0,50 VA | 2900 K | CRI 96 | IP 55  
340 mm | in-lite Human Dimming



SPECIAL



### SWAY TABLE BIG GREEN EGG EDITION

in-lite | human dimming



Also available in  
100-230V



NEW



### AIM FLOOR

1,20 W | 2,10 VA | 3000 K |  
CRI 95 | IP 67 | 1528 mm  
\*to be assembled with separate light sources



Also available in  
100-230V



### VOQUE | BIG VOQUE

3,00 W | 5,00 W | 5,20 VA | 8,00 VA | 2750 K  
CRI 89 | IP 55 | ø300 mm | ø450 mm




**WINK**  
eliminates glare from  
ACE light source.



**LIV LOW | LIV**  
1,50 W | 2,50 VA | 2750 K | CRI 95 | IP 55 | 372 mm, 612 mm

● ● ● ●



**ACE | ACE HIGH**  
3,00 W | 5,30 VA | 3000 K | CRI 91 | IP 55 | 205 mm, 490 mm

● ● ● ●





**EVO LOW | EVO**

2,00 W | 2,10 VA | 2950 K | CRI 95  
 IP 55 | 366 mm, 606 mm



**DISC LOW | DISC**

3,00 W | 4,90 VA | 2900 K | CRI 98  
 IP 55 | 350 mm, 600 mm






PRODUCT GROUP  
**WALL LIGHTS**

Wall lights add warmth and personality to your pergolas, fences, or facades. Choose the fixture design and light effect that best suits your outdoor space.


**DISCOVER ALL WALL LIGHTS**  
[www.in-lite.com](http://www.in-lite.com)



**MINI SWAY WALL**

0,60 W | 0,50 VA | 2900 K  
 CRI 96 | IP 55 | ø50 mm



**SWAY WALL**

1,00 W | 1,00 VA | 2900 K  
 CRI 95 | IP 55 | ø85 mm





**ACE DOWN**

3,00 W | 5,30 VA | 3000 K  
CRI 91 | IP 55 | 100 mm



**ACE UP-DOWN**

6,50 W | 10,30 VA | 3000 K  
CRI 92 | IP 55 | 120 mm



**FIT**  
allows mounting a wall light straight on a slanted wall.



**SHUTTER 1 & 2**  
adjust the beam angle of ACE and HALO.



**HALO DOWN**

3,00 W | 5,00 VA | 3000 K  
CRI 92 | IP 55 | 100 mm




**HALO UP-DOWN**

6,50 W | 10,00 VA | 3000 K  
CRI 92 | IP 55 | 120 mm





Also available in  
100-230V



### DISC WALL


3,00 W | 4,90 VA | 2900 K  
CRI 98 | IP 55 | ø200 mm



### EVO DOWN

2,00 W | 2,10 VA | 2950 K | CRI 95 | IP 53 | 320 mm





**FIX 1**  
allows mounting  
BLINK and WEDGE  
on retainer walls,  
benches, or steps.



**CUBID**

0,52 W | 0,60 VA | 2800 K  
CRI 93 | IP 55 | 50 mm



**BIG CUBID**

1,00 W | 2,00 VA | 2900 K  
CRI 93 | IP 55 | 72 mm



**MINI WEDGE**

0,60 W | 0,60 VA | 2900 K  
CRI 95 | IP 55 | 60 mm



**WEDGE**

1,00 W | 1,60 VA | 2800 K  
CRI 94 | IP 55 | 100 mm




# MORE WALL LIGHTS

Discover more wall lights and personalise them with handy accessories. You can adjust the light source or simply adjust the mounting to create the lighting experience that matches your needs.



## EVO DOWN 100-230V

4,50 W | 11,50 VA | 3000 K  
CRI 92 | IP 55 | 300 mm





## WEDGE SLIM

1,00 W | 1,00 VA | 2800 K  
CRI 96 | IP 55 | 200 mm



## ACE (UP)-DOWN 100-230V

4,50 W | 8,50 W | 11,80 VA | 20,00 VA  
3000 K | CRI 92 | IP 55 | 100 mm



## BLINK

1,00 W | 1,70 VA | 2800 K  
CRI 95 | IP 55 | ø100 mm



## HALO (UP)-DOWN 100-230V

4,50 W | 8,50 W | 11,50 VA | 20,00 VA  
3000 K | CRI 92 | IP 55 | 130 mm





in-lite | human dimming

## PRODUCT GROUP CEILING LIGHTS

Add a touch of inviting atmosphere to your pergolas, lounge areas, and porches. Enjoy a beautifully illuminated dining table or seating area in the evening with our ceiling lights.



DISCOVER ALL  
CEILING LIGHTS  
[www.in-lite.com](http://www.in-lite.com)



### DISC PENDANT

3,00 W | 4,90 VA | 2900 K  
CRI 98 | IP 55 | ø200 mm



### DISC PENDANT 100-230V

4,50 W | 11,80 VA | 2900 K | CRI 98 | IP 55  
ø200 mm | in-lite Human Dimming





**SWAY PENDANT**

0,90 W | 1,00 VA | 2900 K  
CRI 96 | IP 55 | ø85 mm



**SWAY PENDANT 100-230V**

2,50 W | 7,10 VA | 2900 K | CRI 96 | IP 55  
ø85 mm | in-lite Human Dimming





**MINI SCOPE  
CEILING**

1,00 W | 2,00 VA | 2900 K  
CRI 93 | IP 67 | ø47 mm

**SCOPE CEILING**

3,00 W | 4,80 VA | 3100 K  
CRI 91 | IP 67 | ø66 mm



**AIM CEILING**

1,20 W | 2,10 VA | 3000 K | CRI 90 | IP 55 | 85 mm



# THE HEART OF THE SYSTEM



## HUB-75

HUB-75 is a high-quality, user-friendly transformer with a maximum installation power of 75 VA. Easily control up to two zones simultaneously with the touch of a button. Now equipped with the MOVE motion detector, allowing you to set up each line separately.



## SMART HUB-75

SMART HUB-75 is a smart transformer with a maximum installation power of 75 VA. Individually control up to two smart lighting zones remotely via the in-lite app.



LEARN MORE  
ABOUT HUBS  
[www.in-lite.com](http://www.in-lite.com)



# CHOOSE YOUR HUB

The transformer is the heart of the in-lite system. Choose the right HUB based on your power requirements (total VA) and your preferred control method: manual on/off or remote control via the in-lite app.



**HUB-75**



**SMART HUB-75**



**SMART HUB-150**



**SMART HUB-300**

Maximum connection value	75 VA	75 VA	150 VA	300 VA
Control	Buttons	App	App	App
Cable outlets	2	2	3	3
Maximum connection value per cable outlet	75 VA	75 VA	100 VA	130 VA
Cables can be controlled separately	✗	✓	✓	✓
Suitable for Smart fixtures	✗	✓	✓	✓
Suitable for Home Automation systems	✗	✓	✓	✓
Maximum cable length 14/2	40 m	40 m	40 m	✗
Maximum cable length 10/2	80 m	80 m	80 m	160 m

# ACCESSORIES & INSTALLATION

With our handy accessories and installation tips, you get the most out of your outdoor lighting. By using the correct HUB PROTECTOR, cables, and cable connectors, you ensure a safe and durable installation and retain the full 5-year warranty.



## SMART BRIDGE

SMART BRIDGE links the in-lite Smart system to the internet and other popular smart home systems such as Google Home, Apple HomeKit, Alexa, Gira KNX, and Matter. This handy accessory allows you to easily control your lighting via the in-lite app or with voice commands.



## (SMART) MOVE

The MOVE and SMART MOVE accessories enhance convenience and safety by automatically activating your lights when motion is detected. Effortlessly customize your settings via the in-lite app with SMART MOVE.



LEARN MORE ABOUT  
ACCESSORIES  
[www.in-lite.com](http://www.in-lite.com)



## (SMART) HUB PROTECTOR

Always mount HUB transformers at least 50 cm (20 in) above the ground in a dry, sheltered location, such as inside your home, shed, or under a canopy or deck. Use a HUB PROTECTOR accessory when installing your HUB outdoors, as the warranty will be void without it.



## CABLE

Always use an in-lite cable for installing in-lite outdoor lighting for optimal results and to protect your system under our comprehensive 5-year warranty.



## CC-2

Easily create a branch from your main cable line with our CC-2 cable connector. The updated CC-2 is now even more user-friendly, delivering improved reliability and a seamless connection every time.

# CREATING GARDENS IN PHASES



PHASE 1




PHASE 2

## STEP BY STEP


You can phase your in-lite system into stages by running extra cable through the entire space upfront.

Start by installing the essential fixtures, then gradually add more lights over time to complete the full vision and achieve your dream outdoor space.



PHASE 3

# SWAY CONCEPT



At in-lite, we love simplicity. To make choosing easier, we design concepts. A concept is a series of fixtures with a similar design and light output across multiple product categories. By choosing a concept, you automatically create a balanced and atmospheric lighting design for your outdoor space.



EXPLORE THE FULL  
SWAY CONCEPT  
[www.in-lite.com](http://www.in-lite.com)

1. **SWAY WALL**
2. **SWAY**
3. **MINI SWAY**
4. **SWAY PENDANT**
5. **SWAY TABLE**

SWAY concept consists of path lights, wall lights, ceiling lights and a table light. This concept blends seamlessly with the natural elements of your outdoor space. Its minimalist design creates an elegant, modern and unique look.



1. **ACE** 2. **ACE DOWN** 3. **ACE UP-DOWN** 4. **ACE HIGH**

The ACE concept features a selection of path and wall lights in four different colours. This concept is suitable for elevating any outdoor space with its minimalist design and unique lighting effects.



EXPLORE ALL  
CONCEPTS

[www.in-lite.com](http://www.in-lite.com)

# INNOVATION

At in-lite, we prioritize innovation, design, and user-friendliness. Our cutting-edge designs, advanced control techniques, and custom-crafted products ensure your outdoor lighting is not only stylish and functional but also easy to use.



NEW

## in-lite | breathe

Our new BREEZE fixture brings in-lite Breathe to life, showcasing our latest innovation: light that breathes. With soft, rhythmic pulsations inspired by natural breathing and moonlight behind drifting clouds, in-lite Breathe technology transforms static lighting into a mesmerizing, dynamic experience.



## in-lite | motion

in-lite Motion technology lets you effortlessly adjust the light source using a magnet—no need to open the fixture. This prevents moisture issues and ensures optimal performance. Featured in the BIG NERO, this technology allows you to simply place the magnet on the fixture to set your desired light angle.



## MODULAR DESIGN

Many fixtures and concepts in the in-lite range are modular, offering you complete freedom to customize your lighting experience. Mix and match product colors and fixture heights to create tailored results.

With AIM, we took it a step further. Thanks to a patent-pending method, you can stack up to three AIM LIGHTHEADS and adjust them to achieve the desired lighting effect. This offers maximum flexibility and personalisation for your outdoor lighting.



## in-lite | human dimming

Human Dimming lets you effortlessly adjust brightness with a simple wave of your hand—no need to touch the fixture. This cutting-edge technology allows for intuitive, seamless light dimming, giving you complete control over the ambiance. Featured in several in-lite fixtures, including the DISC PENDANT, SWAY PENDANT, and SWAY TABLE.


# OUR PARTNERS

By working together with our partners, we create unique outdoor spaces with one common goal: to make outdoor living even more attractive and to offer a place where you can enjoy your garden in every season.



## TORC POTS

Well-known garden designer Erwin Stam Tuinstudio and Studio Unhyde joined forces with in-lite and TORC POTS for The Playful line. A series of pots with elegant shapes and stylish colours, in which design, nature and lighting merge seamlessly.



## ADEZZ

The CARREZ and CIRCUM planters with integrated SMART EVO FLEX LED strips are the result of the collaboration between in-lite and ADEZZ, creating a seamless and atmospherically illuminated addition to your garden.



## MBI

Thanks to the collaboration between MBI and in-lite, ceramic recesses for lighting make it easy to integrate ground lights effortlessly. Available in Ø22 mm and Ø60 mm.



## BIG GREEN EGG

in-lite and Big Green Egg join forces: the iconic Egg design and in-lite technology come together to form the perfect wireless table lamp, for magical evenings full of outdoor cooking, eating and enjoyment.

TORC POTS

ADEZZ




READ MORE ABOUT PARTNERS  
[www.in-lite.com](http://www.in-lite.com)

MBI  
De Steenmeesters



# EXTRAORDINARY SERVICE

Our experienced team is happy to help you with any questions you may have about in-lite products, installation, warranty and lighting designs. Looking for more inspiration? Visit [www.in-lite.com](http://www.in-lite.com) or follow us on social media.



# UNIQUE PROJECTS

Looking for lighting design advice for unique outdoor spaces? in-lite LAB is here to demonstrate why in-lite is the best lighting solution for every outdoor space. From the largest private gardens and hotels to restaurant terraces and semi-public outdoor spaces, our goal is to illuminate with tailored expertise and creativity. We guide you through the entire process, including lighting design, product recommendations, installation, and maintenance.



**CHECK OUT OUR PORTFOLIO**  
[www.in-lite.com](http://www.in-lite.com)

# INDEX

## A

ACE	46
ACE DOWN	52
ACE DOWN 100-230V	59
ACE HIGH	46
ACE UP-DOWN	52
ACE UP-DOWN 100-230V	59
AIM	27
AIM CEILING	64
AIM FLOOR	44
AIM FLOOR 100-230V	44

## B

BIG CUBID	57
BIG FLUX	21
BIG FLUX NARROW	21
BIG FLUX ASYMMETRIC	21
BIG NERO	23
BIG NERO NARROW	23
BIG SCOPE	32
BIG SCOPE NARROW	32
BIG VOQUE	45
BIG VOQUE 100-230V	45
BLINK	58
BREEZE	41
BREEZE LOW	41

## C

CC-2	71
CUBID	57

## D

DB-LED	25
DISC	48
DISC LOW	48
DISC PENDANT	61
DISC PENDANT 100-230V	61
DISC WALL	55
DISC WALL 100-230V	55
DOT	18
DOT 22	18
DOT 22 (ADD RING)	18

## E

EVO	49
EVO DOWN	54
EVO DOWN 100-230V	59
EVO FLEX	36
EVO FLOOD	24
EVO GROUND 300	24
EVO HYDE 180	35
EVO HYDE 550	35
EVO LOW	49

## F

FLUX	19
FLUX 22	19
FLUX 22 (ADD RING)	19
FUSION	16
FUSION 22	16
FUSION 22 (ADD RING)	16

## H

HALO DOWN	53
HALO DOWN 100-230V	59
HALO UP-DOWN	53
HALO UP-DOWN 100-230V	59
HUB-75	67
HYVE	17
HYVE 22	17
HYVE 22 (ADD RING)	17

## L

LIV	47
LIV LOW	47
LUNA	25

## M

MICRO SCOPE	29
MINI SCOPE	28
MINI SCOPE CEILING	65
MINI SCOPE DUO	33
MINI SWAY	42
MINI SWAY WALL	51
MINI WEDGE	56

## N

NAIL	43
NAIL LOW	43
NERO	22

## P

PUCK	15
PUCK 22	15

## S

SCOPE	30
SCOPE CEILING	65
SMART BRIDGE	70
SMART EVO FLEX	37
SMART EVO FLEX TONE	38
SMART HUB-75	67
SMART HUB-150	69
SMART HUB-300	69
SMART HUB PROTECTOR	71
SMART FLUX TONE	20
SMART MOVE	70
SMART SCOPE TONE	31
SUB	33
SWAY	42
SWAY PENDANT	62
SWAY PENDANT 100-230V	62
SWAY TABLE	44
SWAY WALL	51

## T

TOUCH DIMMER	63
--------------	----

## V

VOQUE	45
VOQUE 100-230V	45

## W

WEDGE	56
WEDGE SLIM	58

**PHOTOGRAPHY** Dion Doornik  
Roel van der Aa

**DESIGN** MarkMyWork

**in-lite®**  
OUTDOOR LIGHTING

[www.in-lite.com](http://www.in-lite.com)

 @inlite\_global

 @In-lite Global

 @inlite\_global

 @inlite\_lab

Are you a professional?  
Follow us on

 @inlite\_pros.eu