






THE SPECBOOK OF IN-LITE



www.in-lite.com

-  @inlite_global
-  @In-lite Global
-  @inlite_global
-  @inlite_lab

Are you a professional?
Follow us on

-  @inlite_pros.eu



in-lite®
OUTDOOR LIGHTING

PRODUCT GROUP RECESSED LIGHTS

Illuminate your pathways, steps, deck risers, terraces, driveways, façades and trees from the ground up. Choose from a variety of recessed fixtures and personalise them with different ring finishes and styles to achieve the desired lighting effect and atmosphere.

DB-LED



Article number 10102402
VA 0.50
Output 0.50 Watt
CRI 94
Colour temperature 2850 K
Lumens 25
IP 67



PUCK

VA 2.50
Output 1.50 Watt
CRI 96
Colour temperature 2900 K
Lumens 11
IP 67



- Black 10104165
- Pearl Grey 10104160



PUCK 22

VA 0.60
Output 0.60 Watt
CRI 96
Colour temperature 2900 K
Lumens 3
IP 67

- Black 10104175
- Pearl Grey 10104170





NEW



FUSION



Article number 10101703
VA 1.00
Output 0.90 Watt
CRI 93
Colour temperature 2650 K
Lumens 16
IP 67

- Black 99380000
- Pearl Grey 99380010
- Stainless Steel 99380020



FUSION 22

Article number 10104100
VA 0.20
Output 0.20 Watt
CRI 93
Colour temperature 2750 K
Lumens 1
IP 67





NEW




FUSION 22 (ADD RING)

Article number 10104151
VA 0.20
Output 0.20 Watt
CRI 93
Colour temperature 2750 K
Lumens 1
IP 67

- Black 99390000
- Pearl Grey 99390010
- Stainless Steel 99390020





NEW



HYVE



Article number 10103901
VA 0.80
Output 0.80 Watt
CRI 95
Colour temperature 3000 K
Lumens 17
IP 67

- Black 99400000
- Pearl Grey 99390010
- Stainless Steel 99390020



HYVE 22

Article number 10104050
VA 0.20
Output 0.20 Watt
CRI 95
Colour temperature 3100 K
Lumens 2
IP 67





NEW

HYVE 22 (ADD RING)

Article number 10104001
VA 0.20
Output 0.20 Watt
CRI 95
Colour temperature 3000 K
Lumens 2
IP 67



- Black 99410000 ● Pearl Grey 99410010
- Stainless Steel 99410020



NEW

FLUX 22

Article number 10103250
VA 2.00
Output 1.20 Watt
CRI 90
Colour temperature 3000 K
Lumens 76
IP 67





NEW

DOT

Article number 10103905
VA 0.80
Output 0.40 Watt
CRI 98
Colour temperature 2850 K
Lumens 16
IP 67



- Black 99100000 ● Pearl Grey 99100010
- Stainless Steel 99100020



NEW

FLUX 22 (ADD RING)



Article number 10103255
VA 2.00
Output 1.20 Watt
CRI 90
Colour temperature 3000 K
Lumens 76
IP 67



- Black 99370000 ● Pearl Grey 99370010
- Stainless Steel 99370020



DOT 22

Article number 10101710
VA 0.50
Output 0.36 Watt
CRI 98
Colour temperature 2850 K
Lumens 2
IP 67



SMART FLUX TONE

Article number 10103205
VA 9.50
Output 6.00 Watt
CRI 85+ | RGBW
Lumens 144
Features Dimmable | Tone
IP 67





- Black 99200000 ● Pearl Grey 99200010
- Stainless Steel 99200020

NEW

DOT 22 (ADD RING)



Article number 10101715
VA 0.50
Output 0.36 Watt
CRI 98
Colour temperature 2850 K
Lumens 1
IP 67

- Black 99110000 ● Pearl Grey 99110010
- Stainless Steel 99110020



BIG FLUX

Article number 10103210
VA 4.20
Output 3.00 Watt
CRI 93
Colour temperature 3100 K
Lumens 272
IP 67





- Black 99030000 ● Pearl Grey 99030010
- Stainless Steel 99030020

NEW

FLUX


Article number 10103201
VA 2.50
Output 1.50 Watt
CRI 92
Colour temperature 3000 K
Lumens 99
IP 67

- Black 99360000 ● Pearl Grey 99360010
- Stainless Steel 99360020



BIG FLUX NARROW

Article number 10103220
VA 4.20
Output 3.00 Watt
CRI 93
Colour temperature 3100 K
Lumens 266
IP 67





- Black 99040000 ● Pearl Grey 99040010
- Stainless Steel 99040020



BIG FLUX ASYMMETRIC



Article number 10103240
 VA 4.20
 Output 3.00 Watt
 CRI 93
 Colour temperature 3100 K
 Lumens 258
 IP 67

- Black 99020000 ● Pearl Grey 99020010
- Stainless Steel 99020020




NERO

Article number 10103401
 VA 4.70
 Output 3.00 Watt
 CRI 93
 Colour temperature 3100 K
 Lumens 257
 IP 67





BIG NERO

Article number 10103451
 VA 11.90
 Output 7.50 Watt
 CRI 92
 Colour temperature 3100 K
 Lumens 488
 Features in-lite Motion
 IP 67



BIG NERO NARROW



Article number 10103460
 VA 11.90
 Output 7.50 Watt
 CRI 91
 Colour temperature 3100 K
 Lumens 476
 Features in-lite Motion
 IP 67



LUNA



Article number 10104180
 VA 5.00
 Output 3.00 Watt
 CRI 94
 Colour temperature 3100 K
 Lumens 220
 IP 67

- Black 99130000 ● Pearl Grey 99130010
- Stainless Steel 99130020



EVO GROUND 300

Article number 10104500
 VA 1.00
 Output 1.00 Watt
 CRI 95
 Colour temperature 3000 K
 Lumens 39
 IP 67





NEW



EVO FLOOD

Article number 10401300
 VA 8.00
 Output 5.00 Watt
 CRI 97
 Colour temperature 3000 K
 Lumens 283
 IP 67



RECESSED LIGHTS ACCESSORIES



SPIKE 60
for Ø 60 mm
recessed lights



SPIKE 22
for Ø 22 mm
recessed lights



BOX 1
for Ø 60 mm
recessed lights




PLATE 1
for Ø 60 mm
recessed lights



RING 68
for Ø 60 mm
recessed lights




RING 28
for Ø 22 mm
recessed lights



RING 28 SHIELD
for Ø 22 mm
recessed lights







PRODUCT GROUP SPOTLIGHTS

Illuminate everything from the smallest plants to the tallest trees while adding layers and depth to your outdoor spaces. Use our spotlight directory to choose the right spot fixture for your application and customise the lighting effect using handy accessories such as SHIELD, RISER, and BRACE.





MICRO SCOPE

Article number 10400625
VA 1.10
Output 0.60 Watt
CRI 91
Colour temperature 2900 K
Lumens 44
IP 67





MINI SCOPE

Article number 10400601
VA 2.00
Output 1.00 Watt
CRI 93
Colour temperature 2900 K
Lumens 64
IP 67





SCOPE

Article number 10400503
VA 5.20
Output 3.00 Watt
CRI 91
Colour temperature 3100 K
Lumens 271
IP 67





SMART SCOPE TONE

Article number 10401050
VA 9.50
Output 6.00 Watt
CRI 85+ | RGBW
Lumens 144
Features Dimmable | Tone
IP 67





BIG SCOPE

Article number 10401002
VA 8.00
Output 5.00 Watt
CRI 91
Colour temperature 3100 K
Lumens 422
IP 67





BIG SCOPE NARROW

Article number 10400902
VA 7.90
Output 5.00 Watt
CRI 92
Colour temperature 3100 K
Lumens 444
IP 67





SUB

Article number 10401101
VA 4.70
Output 3.00 Watt
CRI 91
Colour temperature 3000 K
Lumens 293
IP 68



MINI SCOPE DUO

Article number 10400606
VA 4.00
Output 2.00 Watt
CRI 93
Colour temperature 2900 K
Lumens 64
IP 67







AIM

AIM	10401360
AIM LOW	10401355
AIM EXTRA LOW	10401350
VA	2.10
Output	1.20 Watt
CRI	90
Colour temperature	3000 K
Lumens	84
IP	67



● Black



AIM DUO

AIM	10401360
AIM LOW	10401355
AIM EXTRA LOW	10401350
VA	4.20
Output	2.40 Watt
CRI	90
Colour temperature	3000 K
Lumens	84
IP	67



● Black



AIM TRIPLE

AIM	10401360
AIM LOW	10401355
AIM EXTRA LOW	10401350
VA	6.30
Output	3.60 Watt
CRI	90
Colour temperature	3000 K
Lumens	84
IP	67

● Black



SPOTLIGHTS ACCESSORIES



SHIELD 1 & 2
for MINI SCOPE
& SCOPE



KILLFLASH 1 & 2
for MINI SCOPE
& SCOPE




RISER 1 & 2
for MINI SCOPE,
(SMART) SCOPE
(TONE) & BIG SCOPE
(NARROW)



BRACE
for MINI SCOPE,
SCOPE & BIG SCOPE
(NARROW)



Watch our
installation
videos




PRODUCT GROUP LINE LIGHTING

Choose from flexible LED light strips like EVO FLEX or subtle linear lights like EVO HYDE to accentuate hardscape steps, retaining walls, decking, borders and benches. Enhance the ambience, safety, and design of every corner of your outdoor spaces with line lighting.



EVO HYDE 180

Article number 10202600
VA 0.60
Output 0.50 Watt
CRI 95
Colour temperature 2950 K
Lumens 25
IP 55





EVO HYDE 550

Article number 10250150
VA 2.10
Output 2.00 Watt
CRI 93
Colour temperature 2950 K
Lumens 91
IP 55





SMART EVO FLEX TONE 1, 2 & 5

SMART EVO FLEX TONE 1 99190010
SMART EVO FLEX TONE 2 99190020
SMART EVO FLEX TONE 5 99190050
VA 4.50 / 7.50 / 14.50
Output 2.50 / 4.50 / 10.00 Watt
CRI 85+ | RGBW
Lumens 47 / 83 / 180
Features Dimmable | Tone
IP 67





SMART EVO FLEX 1, 2 & 3

SMART EVO FLEX 1 99180010
SMART EVO FLEX 2 99180020
SMART EVO FLEX 3 99180030
VA 9.90 / 15.70 / 20.20
Output 6.50 / 11.00 / 14.50 Watt
CRI 86
Colour temperature 3000 K
Lumens 229 / 410 / 534
Features Dimmable
IP 67



EVO FLEX 1, 2 & 3

EVO FLEX 1 99120010
EVO FLEX 2 99120020
EVO FLEX 3 99120030
VA 9.90 / 15.70 / 20.20
Output 6.50 / 11.00 / 14.50 Watt
CRI 86
Colour temperature 3000 K
Lumens 229 / 410 / 534
IP 67



LINE LIGHTING ACCESSORIES



EVO FLEX FIX
for (SMART) EVO FLEX (TONE)



FIX 3
for EVO HYDE 180



FIX 4
for EVO HYDE 180



FIX 5
for EVO HYDE 550



PROFILE 1
for EVO FLEX



PROFILE 2
for EVO FLEX



PROFILE 3
for EVO FLEX



PROFILE 4
for EVO FLEX



CORNERS
for EVO FLEX



SPIKE
for EVO FLEX



CLIPS
for EVO FLEX



PRODUCT GROUP BOLLARDS

Illuminate paths, terraces, borders and driveways for style and safety. Select the right fixture height and style to match your outdoor space design. Customise with handy accessories like WINK and SWAY CAP to direct the light source and prevent glare.

NEW

BREEZE

BREEZE LOW	10202810
BREEZE	10202800
VA	1.70
Output	0.95 Watt
CRI	95
Colour temperature	2750 K
Lumens	40
Features	in-lite Breathe
IP	55



MINI SWAY



VA	0.60
Output	0.50 Watt
CRI	95
Colour temperature	2900 K
Lumens	33
IP	55

Black Pearl Grey

MINI SWAY ● 99140000 ● 99140010

“ LOW ● 99150000 ● 99150010

“ EXTRA LOW ● 99160000 ● 99160010



SWAY



VA	1.00
Output	1.00 Watt
CRI	95
Colour temperature	2900 K
Lumens	59
IP	55

Black Pearl Grey

SWAY ● 99210000 ● 99210010

“ LOW ● 99220000 ● 99220010



“ EXTRA LOW ● 99230000 ● 99230010



SWAY TABLE

Article number	10202461
VA	0.50
Output	0.60 Watt
CRI	96
Colour temperature	2900 K
Lumens	110
Features	in-lite Human Dimming
IP	55

● Black





NEW

AIM FLOOR



AIM FLOOR	99440000
AIM FLOOR 100-230V EU	99440020
AIM FLOOR 100-230V UK	99440050
VA	2.10
Output	1.20 Watt
CRI	95
Colour temperature	3000 K
Lumens	84
IP	67

● Black





VOQUE

VOQUE	10202700
VOQUE 100-230V EU	99280000
VOQUE 100-230V UK	99280050
VA	5.20
Output	3.00 Watt
CRI	89
Colour temperature	2750 K
Lumens	36
IP	55



BIG VOQUE



BIG VOQUE	10202705
BIG VOQUE 100-230V EU	99050000
BIG VOQUE 100-230V UK	99050050
VA	8.00
Output	5.00 Watt
CRI	89
Colour temperature	2750 K
Lumens	61
IP	55



ACE

VA	5.30
Output	3.00 Watt
CRI	91
Colour temperature	3000 K
Lumens	173
IP	55



● Corten 10202361 ● Dark Grey 10202350
○ White 10202355 ○ Rosé Silver 10202300



ACE HIGH

VA _____ 5.30
 Output _____ 3.00 Watt
 CRI _____ 94
 Colour temperature _____ 3000 K
 Lumens _____ 85
 IP _____ 55



- Corten 10201803 ● Dark Grey 10201790
- White 10201795 ○ Rosé Silver 10201785



EVO LOW

Article number _____ 10202510
 VA _____ 2.10
 Output _____ 2.00 Watt
 CRI _____ 95
 Colour temperature _____ 2950 K
 Lumens _____ 79
 IP _____ 55



- Black



LIV LOW

VA _____ 2.50
 Output _____ 1.50 Watt
 CRI _____ 95
 Colour temperature _____ 2750 K
 Lumens _____ 60
 IP _____ 55



- Corten 10201782 ● Dark Grey 10201761
- White 10201776 ○ Rosé Silver 10201751



EVO

Article number _____ 10202500
 VA _____ 2.10
 Output _____ 2.00 Watt
 CRI _____ 95
 Colour temperature _____ 2950 K
 Lumens _____ 76
 IP _____ 55



- Black



LIV

VA _____ 2.50
 Output _____ 1.50 Watt
 CRI _____ 95
 Colour temperature _____ 2750 K
 Lumens _____ 60
 IP _____ 55



- Corten 10201732 ● Dark Grey 10201716
- White 10201726 ○ Rosé Silver 10201701



NAIL LOW

Article number _____ 10202755
 VA _____ 1.50
 Output _____ 1.40 Watt
 CRI _____ 96
 Colour temperature _____ 2900 K
 Lumens _____ 71
 IP _____ 65



- Black



DISC LOW

Article number _____ 99070000
 VA _____ 4.90
 Output _____ 3.00 Watt
 CRI _____ 98
 Colour temperature _____ 2900 K
 Lumens _____ 211
 IP _____ 55



- Black



NAIL

Article number _____ 10202750
 VA _____ 1.50
 Output _____ 1.40 Watt
 CRI _____ 96
 Colour temperature _____ 2900 K
 Lumens _____ 71
 IP _____ 65



- Black



DISC

Article number _____ 99060000
 VA _____ 4.90
 Output _____ 3.00 Watt
 CRI _____ 98
 Colour temperature _____ 2900 K
 Lumens _____ 211
 IP _____ 55

- Black



BOLLARDS ACCESSORIES



WINK
for ACE



(MINI) SWAY CAP
for (MINI) SWAY



BELT
for (BIG) VOQUE



TRIPOD
for (BIG) VOQUE


PRODUCT GROUP WALL LIGHTS

Accentuate pergolas, fences, walls and façades to create warm and inviting spaces. Select your preferred wall-lighting effect: downlight, up-and-down, or all-around. Use handy accessories such as SHUTTER to adjust the beam angle and achieve the desired lighting effect.

MINI SWAY WALL

VA _____ 0.50
Output _____ 0.60 Watt
CRI _____ 96
Colour temperature _____ 2900 K
Lumens _____ 33
IP _____ 55



- Black 99170000
- Pearl Grey 99170010



SWAY WALL

VA _____ 1.00
Output _____ 1.00 Watt
CRI _____ 95
Colour temperature _____ 2900 K
Lumens _____ 59
IP _____ 55


- Black 99270000
- Pearl Grey 99270010



DISC WALL

Article number _____ 99090000
VA _____ 4.90
Output _____ 3.00 Watt
CRI _____ 98
Colour temperature _____ 2900 K
Lumens _____ 211
IP _____ 55



- Black



DISC WALL 100-230V

Article number _____ 99090010
VA _____ 4.70
Output _____ 4.50 Watt
CRI _____ 98
Colour temperature _____ 2900 K
Lumens _____ 246
IP _____ 55



- Black



ACE DOWN

VA _____ 5.30
Output _____ 3.00 Watt
CRI _____ 91
Colour temperature _____ 3000 K
Lumens _____ 173
IP _____ 55



- Corten 10301861
- Dark Grey 10301850
- White 10301855
- Rosé Silver 10301800



ACE UP-DOWN

VA _____ 10.30
Output _____ 6.50 Watt
CRI _____ 92
Colour temperature _____ 3000 K
Lumens _____ 355
IP _____ 55



- Corten 10301961
- Dark Grey 10301950
- White 10301955
- Rosé Silver 10301900



ACE DOWN 100-230V

VA _____ 11.80
Output _____ 4.50 Watt
CRI _____ 92
Colour temperature _____ 3000 K
Lumens _____ 186
IP _____ 55



- Corten 10302121
- Dark Grey 10302110
- White 10302115
- Rosé Silver 10302105



ACE UP-DOWN 100-230V

VA _____ 20.00
Output _____ 8.50 Watt
CRI _____ 92
Colour temperature _____ 3000 K
Lumens _____ 346
IP _____ 55



- Corten 10302061
- Dark Grey 10302050
- White 10302055
- Rosé Silver 10302000



HALO DOWN

Article number 10302600
 VA 5.00
 Output 3.00 Watt
 CRI 92
 Colour temperature 3000 K
 Lumens 155
 IP 55


● Black



EVO DOWN 100-230V

Article number 10302505
 VA 11.50
 Output 4.50 Watt
 CRI 92
 Colour temperature 3000 K
 Lumens 106
 IP 55



● Black



HALO UP-DOWN

Article number 10302605
 VA 10.00
 Output 6.50 Watt
 CRI 92
 Colour temperature 3000 K
 Lumens 361
 IP 55



● Black



MINI WEDGE

VA 0.60
 Output 0.60 Watt
 CRI 95
 Colour temperature 2900 K
 Lumens 24
 IP 55



● Dark Grey 10301780



HALO DOWN 100-230V

Article number 10302615
 VA 11.50
 Output 4.50 Watt
 CRI 92
 Colour temperature 3000 K
 Lumens 191
 Features Dimmable
 IP 55



● Black



WEDGE

VA 1.60
 Output 1.00 Watt
 CRI 94
 Colour temperature 2800 K
 Lumens 33
 IP 55



○ White 10301765 ○ Rosé Silver 10301700
 ● Dark Grey 10301750



HALO UP-DOWN 100-230V

Article number 10302610
 VA 20.00
 Output 8.50 Watt
 CRI 92
 Colour temperature 3000 K
 Lumens 346
 Features Dimmable
 IP 55



● Black



WEDGE SLIM

VA 1.00
 Output 1.00 Watt
 CRI 96
 Colour temperature 2800 K
 Lumens 36
 IP 55



● Dark Grey 10301770



EVO DOWN

Article number 10302500
 VA 2.10
 Output 2.00 Watt
 CRI 95
 Colour temperature 2950 K
 Lumens 81
 IP 53



● Black



BLINK

VA 1.70
 Output 1.00 Watt
 CRI 95
 Colour temperature 2800 K
 Lumens 52
 IP 55



○ White 10301265 ○ Rosé Silver 10301200
 ● Dark Grey 10301250



CUBID

VA _____ 0.60
 Output _____ 0.52 Watt
 CRI _____ 93
 Colour temperature _____ 2800 K
 Lumens _____ 15
 IP _____ 55



- White 10301011 ○ Rosé Silver 10301001
- Dark Grey 10301006



BIG CUBID

VA _____ 2.00
 Output _____ 1.00 Watt
 CRI _____ 93
 Colour temperature _____ 2900 K
 Lumens _____ 64
 IP _____ 55

- White 10301020 ○ Rosé Silver 10301025
- Dark Grey 10301015



WALL LIGHTS
ACCESSORIES



SHUTTER 1
for ACE & HALO 12V



SHUTTER 2
for ACE & HALO
100-230V



FIT
for HALO, ACE,
BIG CUBID & WEDGE



WALL MOUNT
for EVO DOWN
100-230V



LENS CLEAR & DIFFUSE
for ACE & HALO




FIX 1
for BLINK & WEDGE



TOUCH DIMMER
for dimming 12V
wall lights



Follow us on @inlite_global



PRODUCT GROUP CEILING LIGHTS



Ceiling lights bring warmth, safety and ambience from above. They are ideal to accentuate pergolas, lounge areas, dining tables and seating areas. Set the mood of the space and enjoy the comfort of modern and functional lighting after sunset with our ceiling lights.



SWAY PENDANT

VA _____ 1.00
Output _____ 0.90 Watt
CRI _____ 96
Colour temperature _____ 2900 K
Lumens _____ 68
IP _____ 55

- Black 10202465
- Pearl Grey 10202490



SWAY PENDANT 100-230V



VA _____ 7.10
Output _____ 2.50 Watt
CRI _____ 96
Colour temperature _____ 2900 K
Lumens _____ 92
Features ___in-lite Human Dimming
IP _____ 55

- Black Pearl Grey

SWAY PENDANT ● 99240000 ● 99240010

“DUO” ● 99260000 ● 99260010



“TRIPLE” ● 99250000 ● 99250010



DISC PENDANT

Article number _____ 10202650
VA _____ 4.90
Output _____ 3.00 Watt
CRI _____ 98
Colour temperature _____ 2900 K
Lumens _____ 196
IP _____ 55



- Black



DISC PENDANT 100-230V

DISC PENDANT 100-230V ___ 99080000
DUO / TRIPLE ___ 99080020 / 99080030
VA _____ 11.80
Output _____ 4.50 Watt
CRI _____ 98
Colour temperature _____ 2900 K
Lumens _____ 216
Features ___in-lite Human Dimming
IP _____ 55



- Black



AIM CEILING



Article number _____ 10401365
VA _____ 2.10
Output _____ 1.20 Watt
CRI _____ 90
Colour temperature _____ 3000 K
Lumens _____ 84
IP _____ 55

- Black




MINI SCOPE CEILING

Article number _____ 10400610
VA _____ 2.00
Output _____ 1.00 Watt
CRI _____ 93
Colour temperature _____ 2900 K
Lumens _____ 64
IP _____ 67



SCOPE CEILING

Article number _____ 10400510
VA _____ 4.80
Output _____ 3.00 Watt
CRI _____ 91
Colour temperature _____ 3100 K
Lumens _____ 271
IP _____ 67



CEILING LIGHTS ACCESSORIES



BASE 1
for SWAY PENDANT
& DISC PENDANT



SWAY PENDANT CAP
for SWAY PENDANT

